

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/655,210	09/04/2003	Eric Bergman	54008.8087.US01	7002
45540 7	1590 10/24/2005		EXAMINER	
PERKINS COIE LLP/SEMITOOL			PERRIN, JOSEPH L	
PO BOX 1208	'A 98111-1208		ART UNIT	PAPER NUMBER
SEATTLE, W	A 70111-1200		1746	

DATE MAILED: 10/24/2005

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT AND TRADEMARK OFFICE

Under Secretary of Commerce for Intellectual Property and Director of the United States Patent and Trademark Office

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed 9-4-2003 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.
Figures are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.
Figures are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.
Applicant is required to correct the above-noted inconsistency within a time period of ONE MONTH or THIRTY (30) DAYS, whichever is longer, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)
Failure to correct the above noted inconsistency will result in abandonment of the application.
The file will be held in the Publishing Division to await the correction of the inconsistency.
Return Corrected Drawings/Specification to: Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450
Alexandria, VA 22313-1450
Office of Patent Publication/Publishing Division Customer Service: 703-308-6789 1-888-786-0101

FORM PTO-1631 (REV. 10-03)